



Xiangtan Huaxing Material Co., Ltd.



7409 BCBM Bearing 2D drawings and 3D CAD models

45 mm x 120 mm x 29 mm SKF 7409 BCBM Angular Contact Ball Bearings

Bearing No. 7409 BCBM

Category	Angular Contact Ball Bearings
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	1.73
EAN	7316576651281
Product Group	B00308
Enclosure	Open
Flush Ground	Yes
Rolling Element	Ball Bearing
Number of Rows of Balls	Single Row
Precision Class	ABEC 3 ISO P6
Maximum Capacity / Filling Slot	No
Snap Ring	No
Cage Material	Brass
Contact Angle	40 Degree
Internal Clearance	CB
Number of Bearings	1 (Single)
Mounting Arrangement	Universal
Inch - Metric	Metric
Long Description	45MM Bore; 120MM Outside Diameter; 29MM Width; Open; Yes Flush Ground; Ball Bearing; Single Row of Balls; ABEC 3 ISO P6; No Filling Slot; No Snap



Xiangtan Huaxing Material Co., Ltd.

	Ring
Other Features	Normal Axial Internal Clearance
Category	Angular Contact Ball Bearing
UNSPSC	31171531
Harmonized Tariff Code	8482.10.50.28
Noun	Bearing
Keyword String	Angular Contact
Manufacturer URL	http://www.skf.com
Manufacturer Item Number	7409 BCBM
Weight / LBS	3.812
B	1.142 Inch 29 Millimeter
d	1.772 Inch 45 Millimeter
D	4.724 Inch 120 Millimeter
bore diameter:	45 mm
radial static load capacity:	55 kN
outside diameter:	120 mm
cage material:	Brass
overall width:	29 mm
outer ring width:	29 mm
contact angle:	40 °
maximum rpm:	7500 RPM
row type & fill slot:	Single-Row Non-Fill Slot
finish/coating:	Uncoated
internal clearance:	C0
precision rating:	ABEC 3 (ISO Class 6)
closure type:	Open
fillet radius:	2 mm
radial dynamic load capacity:	85.2 kN
series:	74
d	45 mm



Xiangtan Huaxing Material Co., Ltd.

D	120 mm
B	29 mm
d_1	74.9 mm
d_2	60.9 mm
D_1	91.8 mm
a	49.3 mm
$r_{1,2}$ min.	2 mm
$r_{3,4}$ min.	2 mm
d_a min.	55 mm
D_a max.	110 mm
D_b max.	107.7 mm
r_a max.	2 mm
r_b max.	2 mm
Basic dynamic load rating C	85.2 kN
Basic static load rating C_0	55 kN
Fatigue load limit P_u	2.36 kN
Reference speed	7500 r/min
Limiting speed	7500 r/min
Calculation factor A	0.0585
Calculation factor k_r	0.1
Calculation factor e	1.14
Calculation factor X	0.35
Calculation factor Y_0	0.26
Calculation factor Y_2	0.57
Calculation factor X	0.57
Calculation factor Y_0	0.52
Calculation factor Y_1	0.55
Calculation factor Y_2	0.93
Mass bearing	1.55 kg